3030116

https://www.phoenixcontact.com/in/products/3030116



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Plug-in bridge, pitch: 4.2 mm, number of positions: 2, color: red

#### Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

#### **Commercial Data**

Item number	3030116
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	BE2
Product Key	BE2Z2X
Catalog Page	Page 206 (C-1-2019)
GTIN	4017918188450
Weight per Piece (including packing)	1.215 g
Weight per Piece (excluding packing)	1.185 g
Customs tariff number	85366990
Country of origin	DE

3030116

https://www.phoenixcontact.com/in/products/3030116




## **Technical Data**

#### Product properties

Product type	Jumper
Number of positions	2
Pitch	4.2 mm
Electrical properties	
Maximum load current	17.5 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Connection data	
Maximum load current	17.5 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Dimensions	
Pitch	4.2 mm
Naterial specifications	
Color	red
Material	Copper
Flammability rating according to UL 94	VO
Insulating material	PA
Nounting	
Mounting type	Plug-in mounting

3030116 https://www.phoenixcontact.com/in/products/3030116

## Drawings



Schematic diagram

PHŒN

3030116

https://www.phoenixcontact.com/in/products/3030116



### Classifications

#### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

#### ETIM

	ETIM 8.0	EC000489	
UNSPSC			
	UNSPSC 21.0	39121400	

3030116 https://www.phoenixcontact.com/in/products/3030116



## **Environmental Product Compliance**

China RoHS

Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in