

2966786

https://www.phoenixcontact.com/in/products/2966786

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Continuous plug-in bridge, length: 500 mm, color: red

Commercial Data

Item number	2966786
Packing unit	20 pc
Minimum order quantity	1 pc
Sales Key	CK6
Product Key	CK6243
Catalog Page	Page 426 (C-5-2019)
GTIN	4017918130602
Weight per Piece (including packing)	45.04 g
Weight per Piece (excluding packing)	42.62 g
Customs tariff number	85366990
Country of origin	DE

2966786

https://www.phoenixcontact.com/in/products/2966786



Technical Data

Product type Bridge Electrical properties 32 A Maximum load current 32 A	Product properties			
Maximum load current 32 A Connection data	Product type	Bridge		
Connection data	Electrical properties			
	Maximum load current	32 A		
Maximum load current 32 A	Connection data			
	Maximum load current	32 A		
Dimensions				
Length 500 mm	Length	500 mm		
Material specifications				
Color red	Color	red		



2966786

https://www.phoenixcontact.com/in/products/2966786

Approvals

0

PRS Approval ID: TE/2109/880590/16



GL Approval ID: 46016-03 HH

2966786

https://www.phoenixcontact.com/in/products/2966786



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

	ETIM 8.0	EC000489		
UN	UNSPSC			
	UNSPSC 21.0	39121400		



2966786

https://www.phoenixcontact.com/in/products/2966786



Environmental Product Compliance

China RoHS

Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in