

# KGS-MSTB 2,5/10 BK - Cable housing



1823053

<https://www.phoenixcontact.com/in/products/1823053>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable housing, for cable diameters of 6...13.5 mm, marker strips and transparent label carrier are included, color: Black, no. of positions: 10

## Commercial Data

Item number	1823053
Packing unit	10 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Product Key	AAHZDD
GTIN	4017918889951
Weight per Piece (including packing)	17.02 g
Weight per Piece (excluding packing)	17.02 g
Country of origin	PL

# KGS-MSTB 2,5/10 BK - Cable housing



1823053

<https://www.phoenixcontact.com/in/products/1823053>

## Technical Data

### Product properties

Product type	Cable housing
Product family	KGS-MSTB 2,5
Number of positions	10
Pitch	0.00 mm

### Material specifications

Color	black
Flammability rating according to UL 94	HB
Insulating material group	I
Insulating material	ABS

### Dimensions

Width	19.8 mm
Height	55.8 mm
Pitch	0.00 mm

# KGS-MSTB 2,5/10 BK - Cable housing



1823053

<https://www.phoenixcontact.com/in/products/1823053>

## Approvals



**EAC**

Approval ID: B.01687

# KGS-MSTB 2,5/10 BK - Cable housing



1823053

<https://www.phoenixcontact.com/in/products/1823053>

## Classifications

### ECLASS

ECLASS-11.0

27460402

### ETIM

ETIM 8.0

EC002943

### UNSPSC

UNSPSC 21.0

39121400

# KGS-MSTB 2,5/10 BK - Cable housing



1823053

<https://www.phoenixcontact.com/in/products/1823053>

## Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.  
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420  
[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)