# Product data sheet

Specifications

**Green Premium™**

## Harmony XVM, aluminium support tube with metal bracket l=250 mm,

XVMZ03T

## Main

| | |
|---|---|
| Range of product | Harmony XVM |
| Accessory / separate part designation | Ø 20 mm aluminium support tube with metal bracket |
| Accessory / separate part category | Mounting and fixing accessories |
| Accessory / separate part destination | Beacons and indicator banks Ø 45 mm |

## Complementary

| | |
|---|---|
| Accessory / separate part type | Support tube with bracket |
| Product compatibility | XVM. |
| Colour | Aluminium |
| Height under base unit | 263 mm |
| Length | 250 mm |
| Net weight | 0.242 kg |

## Packing Units

| | |
|---|---|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 29.1 cm |
| Package 1 Width | 3.5 cm |
| Package 1 Length | 6.1 cm |
| Package 1 Weight | 243.0 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 15 |
| Package 2 Height | 15.0 cm |
| Package 2 Width | 30.0 cm |
| Package 2 Length | 40.0 cm |
| Package 2 Weight | 4.135 kg |
| Unit Type of Package 3 | PAL |
| Number of Units in Package 3 | 240 |

| | |
|---|---|
| **Package 3 Height** | 60.0 cm |
| **Package 3 Width** | 80.0 cm |
| **Package 3 Length** | 240.0 cm |
| **Package 3 Weight** | 147.12 kg |

## Offer Sustainability

| | |
|---|---|
| **Sustainable offer status** | Green Premium product |
| **REACh Regulation** | REACh Declaration |
| **EU RoHS Directive** | Pro-active compliance (Product out of EU RoHS legal scope)<br>EU RoHS Declaration |
| **Mercury free** | Yes |
| **China RoHS Regulation** | China RoHS declaration |
| **RoHS exemption information** | Yes |
| **Environmental Disclosure** | Product Environmental Profile |
| **California proposition 65** | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

Life Is On | Schneider Electric

**Dimensions and Mounting**

| Support tube length | | b1 (tube + plate) | | b2 (height under base unit) | |
|---|---|---|---|---|---|
| mm | in. | mm | in. | mm | in. |
| 250 | 9.84 | 283 | 11.14 | 256 | 10.08 |

**Panel Cut-Out**



**Recommended replacement(s)**