# **Product data sheet**

Specifications



## Prewired rotating mirror beacon, Harmony XVR, 120 mm, red, with buzzer 50...90 dB, 12 V AC DC

#### XVR12J04S

- Discontinued on: 31 March 2022
- End-of-service on: 11 May 2022

() Discontinued

Main	
Range of product	Harmony XVR
Product or component type	Prewired rotating mirror beacon
Sound signalling	Buzzer
Device short name	XVR
Mounting diameter	120 mm
IP degree of protection	IP23 conforming to IEC 60529
[Us] rated supply voltage	12 V AC/DC
Light source	High luminosity LED, red
Noise level	5090 dB (continuous or intermittent tone) at 1 m

#### Complementary

Material	ABS (acrylonitrile butadiene-styrene): body part AS: globe
CAD overall width	120 mm
CAD overall depth	120 mm
Net weight	0.5 kg
Marking	CE
Product mounting	By 3 M5 screws
Supply voltage limits	1015 V DC 10.813.2 V AC
[Uimp] rated impulse withstand voltage	0.8 kV
Current consumption	333 mA
Flashing frequency	2.3 Hz
Clamping connection capacity	0.83 mm²
AWG gauge	AWG 18
Cable length	400 mm

#### Environment

Standards

EN 61000-6-4

	EN 61000-6-2
Protective treatment	тс
Ambient air temperature for storage	-3570 °C
Ambient air temperature for operation	-1050 °C
Electrical shock protection class	Class II conforming to IEC 61140

### Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

### Contractual warranty

Warranty


18 months


### Product data sheet

Dimensions Drawings

### **Rotating Mirror Beacon**

### Dimensions






### Product data sheet

Mounting and Clearance

### **Rotating Mirror Beacon**

#### Panel Cut-out



### Recommended replacement(s)

XVR12J04S is replaced by the following product range:



Harmony XVR Ø 80 - 130 mm pre-wired rotating/flashing beacons Products: 49