



Service interface kit, Pact series circuit breakers

LV485500

Price*: 33,792.00 USD

Main

Product or Component Type	Testing kit
Accessory / separate part category	Maintenance accessory
Range compatibility	Masterpact (MasterPact NT) Masterpact (MasterPact NW) EasyPact (EasyPact MVS) ComPact (ComPact NS630b1600) ComPact (ComPact NS1600b3200)
Provided equipment	1 Power supply 1 USB cable 3 test cables
[Ue] rated operational voltage	115/230 V AC +/- 10 % 4763 Hz
Trip time measurement	07500 s +/- 0.1 %

Complementary

Complementary	
[Uimp] rated impulse withstand voltage	12 kV
IP degree of protection	IP20
Height	4.17 in (106 mm)
Width	17.76 in (451 mm)
Depth	14.09 in (358 mm)
Net Weight	6.17 lb(US) (2.8 kg)
Product Certifications	CE UL
Standards	IEC 61010-1 IEC 61010-2-030 UL 61010-1 CSA C22.2 No 61010-1 EN 60068-2-32

Environment

Overvoltage category	II
Electromagnetic compatibility	Conducted RF disturbances EN 55011 Emission tests EN 55032 Immunity for industrial environments IEC 61000-6-2 Emission standard for industrial environments IEC 61000-6-4 Limits for harmonic current emissions IEC 61000-3-2 Limitation of voltage changes, voltage fluctuations and flicker in low-voltage IEC 61000-3-3

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient Air Temperature for Operation	14131 °F (-1055 °C)
Ambient Air Temperature for Storage	-40185 °F (-4085 °C)
Relative humidity	595 % 131 °F (55 °C)

Ordering and shipping details

Category	01290-MASTERPACT ACCESSORIES
Discount Schedule	DE2F
GTIN	3606481907011
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.53 in (11.5 cm)
Package 1 Width	14.96 in (38.0 cm)
Package 1 Length	18.50 in (47.0 cm)
Package 1 Weight	6.62 lb(US) (3.002 kg)
Unit Type of Package 2	S04
Number of Units in Package 2	2
Package 2 Height	11.81 in (30 cm)
Package 2 Width	15.75 in (40 cm)
Package 2 Length	23.62 in (60 cm)
Package 2 Weight	14.98 lb(US) (6.794 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	6
Package 3 Height	28.94 in (73.5 cm)
Package 3 Width	23.62 in (60.0 cm)
Package 3 Length	31.50 in (80.0 cm)
Package 3 Weight	42.47 lb(US) (19.264 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

WEEE

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Recommended replacement(s)