0831201

https://www.phoenixcontact.com/in/products/0831201

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Commercial Data

Item number	0831201
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BG1
Product Key	BG122Z
GTIN	4046356947053
Weight per Piece (including packing)	402.1 g
Weight per Piece (excluding packing)	402.1 g
Customs tariff number	84439990
Country of origin	DE

0831201

https://www.phoenixcontact.com/in/products/0831201



Technical Data

Product properties		
Product type	Magazine	
Material specifications		
RoHS compliant	yes	
Environmental and real-life conditions		
Ambient conditions		
Recommended storage conditions	20 °C / 50 % relative humidity.	

0831201

https://www.phoenixcontact.com/in/products/0831201



Classifications

ECLASS

ECLASS-11.0	19140615
ECLASS-12.0	19140615
ECLASS-13.0	19140615

ETIM

	ETIM 8.0	EC001675	
UNSPSC			
	UNSPSC 21.0	43211600	

0831201

https://www.phoenixcontact.com/in/products/0831201



Accessories

THERMOMARK CARD - Thermal transfer printer

5146464 https://www.phoenixcontact.com/in/products/5146464

Thermal transfer printer for cards



THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

https://www.phoenixcontact.com/in/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. User manual printed in German and English. Magazine for UCT-TM... sheets and magazines for US-... cards. One Pcs./Pkt. each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

0831201 https://www.phoenixcontact.com/in/products/0831201



THERMOMARK PRIME - Thermal transfer printer

5148888

https://www.phoenixcontact.com/in/products/5148888



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in