

https://www.phoenixcontact.com/in/products/3240193



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable duct for installation and mounting in control cabinets, gray, comprising upper part and mounting base, width: 60 mm, height: 60 mm, length: 2000 mm

Your advantages

- · Predetermined breaking point enables tool-free, burr-free removal of bars
- · Thanks to its leverage and special cutting geometry, the PPS CD cable duct cutter enables easy, burr-free cutting with minimum effort
- · Easy, burr-free cutting with minimum effort using the CUTFOX-CD cable duct cutter
- · The wide, diagonal heads of the cable duct bars make it easy to fit the cover and hold it securely in place
- · Installed conductors are securely held in place by means of wire retaining clips that can be snapped onto bars on the side
- · Plastic body-bound rivets enable easy fixing of cable ducts using the rivet setting tool

Commercial Data

Item number	3240193
Packing unit	12 pc
Minimum order quantity	12 pc
Sales Key	BE7
Product Key	BE7431
Catalog Page	Page 581 (C-3-2019)
GTIN	4046356459181
Weight per Piece (including packing)	1,166.7 g
Weight per Piece (excluding packing)	1,166.7 g
Customs tariff number	39259020
Country of origin	DE



https://www.phoenixcontact.com/in/products/3240193



Technical Data

Connection data

Nominal cross section	2184 mm²
-----------------------	----------

Dimensions

Dimensional drawing	5.5
Width	60 mm
Height	60 mm
Length	2000 mm

Material specifications

Color	gray
Material	PVC
Flammability rating according to UL 94	V0
Components	Lead-free

Cable/line

Environmental and real-life conditions

Ambient conditions


Ambient temperature (operation)	-5 °C 60 °C
---------------------------------	-------------

3240193

https://www.phoenixcontact.com/in/products/3240193



Drawings



Base perforation according to DIN EN 50085



3240193

https://www.phoenixcontact.com/in/products/3240193

Approvals



CSA

Approval ID: 248269



UL RecognizedApproval ID: FILE E 328576



VDE Zeichengenehmigung Approval ID: 40027969



EAC

Approval ID: RU C-DE.PB68.W.00478



https://www.phoenixcontact.com/in/products/3240193



Classifications

ECLASS

ECLASS-11.0	27400703
ECLASS-12.0	27400703
ECLASS-13.0	27400703
ETIM	
ETIM 8.0	EC000012
UNSPSC	

U

3240193

https://www.phoenixcontact.com/in/products/3240193



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values



https://www.phoenixcontact.com/in/products/3240193



Accessories

CD COVER 60 - Cover profile

3240287

https://www.phoenixcontact.com/in/products/3240287



Cover for cable duct, gray, width: 60 mm, length: 2000 mm

RVT-PA 4 - Fastening clip

3240498

https://www.phoenixcontact.com/in/products/3240498



Plastic body-bound rivet, for hole diameter of 4 mm and a material thickness of 1.5 \dots 6 mm



https://www.phoenixcontact.com/in/products/3240193



RVT-PA 6 - Fastening clip

3240499

https://www.phoenixcontact.com/in/products/3240499



Plastic body-bound rivet, for hole diameter of 6 mm and a material thickness of 1.5 ... 6 mm

UNIFOX-RVT P 4 - Tool

1212478

https://www.phoenixcontact.com/in/products/1212478



Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets



https://www.phoenixcontact.com/in/products/3240193



UNIFOX-RVT P 6 - Tool

1212509

https://www.phoenixcontact.com/in/products/1212509



Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets

CD WR - Universal wire retaining clip

3240284

https://www.phoenixcontact.com/in/products/3240284



Universal wire holding bracket, perforated, for wiring channels

Phoenix Contact 2023 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in