

# UM 72-SEFE/L - Lateral element




2959340

<https://www.phoenixcontact.com/in/products/2959340>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Side element, left, with foot, width: 5 mm, length: 72 mm, for mounting on NS 32 or NS 35/7.5



## Your advantages

- Easy installation
- Flexible size and shape
- Inexpensive as a result of reducing the number of separate housing parts

## Commercial Data

Item number	2959340
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	ACH
Product Key	ACHDBA
Catalog Page	Page 756 (C-1-2013)
GTIN	4017918099343
Weight per Piece (including packing)	6.65 g
Weight per Piece (excluding packing)	6.5 g
Customs tariff number	39269097
Country of origin	IN

# UM 72-SEFE/L - Lateral element



2959340

<https://www.phoenixcontact.com/in/products/2959340>

## Technical Data

### Product properties

Product type	Panel mounting base side part
Product family	UM72
Type	Lateral element (left)
Housing type	Press-drawn section housings
Ventilation openings present	no
Housing series	UM

### Dimensions

Width	5 mm
Height	89.6 mm
Depth	37.6 mm

### Material specifications

Color	green (6021)
Flammability rating according to UL 94	V0
Surface characteristics	untreated
Housing material	Polyamide

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)
Ambient temperature (storage/transport)	-40 °C ... 55 °C
Ambient temperature (assembly)	-5 °C ... 100 °C
Relative humidity (storage/transport)	80 %

### Mounting

Mounting type	DIN rail mounting
---------------	-------------------

# UM 72-SEFE/L - Lateral element



2959340

<https://www.phoenixcontact.com/in/products/2959340>

## Approvals



**EAC**

Approval ID: B.01687



**UL Recognized**

Approval ID: FILE E 240868

# UM 72-SEFE/L - Lateral element



2959340

<https://www.phoenixcontact.com/in/products/2959340>

## Classifications

### ECLASS

ECLASS-11.0

27182701

### ETIM

ETIM 8.0

EC002779

### UNSPSC

UNSPSC 21.0

31261500

# UM 72-SEFE/L - Lateral element



2959340

<https://www.phoenixcontact.com/in/products/2959340>

## Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.  
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420  
[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)