

# PROT-M12 FS-M-CHAIN - Sealing cap



1430491

<https://www.phoenixcontact.com/in/products/1430491>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Sealing cap, Alternative product in accordance with RoHS II without Exemption 6c (Pb <0.1%)  
item no.: 1239603



## Commercial Data

Item number	1430491
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	ABQ
Product Key	ABQZCA
Catalog Page	Page 55 (C-2-2019)
GTIN	4046356325783
Weight per Piece (including packing)	13.56 g
Weight per Piece (excluding packing)	13.41 g
Customs tariff number	74198090
Country of origin	DE

# PROT-M12 FS-M-CHAIN - Sealing cap



1430491

<https://www.phoenixcontact.com/in/products/1430491>

## Technical Data

### Notes

General	Use up to max. 48 V AC and 60 V DC
---------	------------------------------------

### Product properties

Product type	Protective cap
Thread type	M12

### Material specifications

Material	CuZn/Ni
Seal material	NBR

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65
	IP67
	IP69K
Ambient temperature (operation)	-40 °C ... 85 °C


# PROT-M12 FS-M-CHAIN - Sealing cap

1430491

<https://www.phoenixcontact.com/in/products/1430491>

## Drawings

Dimensional drawing



Dimensional drawing

# PROT-M12 FS-M-CHAIN - Sealing cap



1430491

<https://www.phoenixcontact.com/in/products/1430491>

## Approvals



**EAC**

Approval ID: B.01687

# PROT-M12 FS-M-CHAIN - Sealing cap



1430491

<https://www.phoenixcontact.com/in/products/1430491>

## Classifications

### ECLASS

ECLASS-11.0	27440208
ECLASS-12.0	27440208
ECLASS-13.0	27440208

### ETIM

ETIM 8.0	EC002314
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# PROT-M12 FS-M-CHAIN - Sealing cap



1430491

<https://www.phoenixcontact.com/in/products/1430491>

## Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)