

CRIMPFOX-TC 4 - Crimping pliers



1212113

<https://www.phoenixcontact.com/in/products/1212113>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Crimping pliers, for CK 1,6-ED..., CK 2,5-ED..., CK 4,0-ED... turned contacts, 4 marked die stations, unlockable pressure lock, lateral entry, incl. positioning tool

Your advantages

- Crimping pliers for processing turned contacts
- The integrated positioning tool ensures that the contacts are perfectly aligned in the die
- Marked die stations for precise processing of corresponding cross sections

Commercial Data

Item number	1212113
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BH3
Product Key	BH3135
Catalog Page	Page 432 (C-3-2019)
GTIN	4046356454018
Weight per Piece (including packing)	723.3 g
Weight per Piece (excluding packing)	723.3 g
Customs tariff number	82032000
Country of origin	SE

CRIMPFOX-TC 4 - Crimping pliers



1212113

<https://www.phoenixcontact.com/in/products/1212113>

Technical Data

Notes

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Product properties

Product type	Crimping tool
Compression	Square crimp

Crimping position 1

Min. cross section	0.14 mm ²
Max. cross section	1 mm ²
AWG min	26
AWG max	18

Crimping position 2

Max. cross section	1.5 mm ²
AWG max	16

Crimping position 3

Max. cross section	2.5 mm ²
AWG max	14

Crimping position 4

Max. cross section	4 mm ²
AWG max	12

Connection data

Conductor connection

Cross section range, metric	0.14 mm ² ... 4 mm ²
Cross section range AWG	26 ... 12

Dimensions

Width	25 mm
Height	68 mm
Length	256 mm

Material specifications

Color	black
Material	STEEL

CRIMPFOX-TC 4 - Crimping pliers



1212113

<https://www.phoenixcontact.com/in/products/1212113>

Classifications

ECLASS

ECLASS-11.0

21043811

ETIM

ETIM 8.0

EC000168

UNSPSC

UNSPSC 21.0

27111500

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>



Accessories

CRIMPFOX-TC 4/DIE - Replacement die

1212295

<https://www.phoenixcontact.com/in/products/1212295>

Spare die for CRIMPFOX-TC 4



CRIMPFOX/ SPR-1 - Replacement spring

1212069

<https://www.phoenixcontact.com/in/products/1212069>

Spare recuperating spring



CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-4,00ST AG - Crimp contact

1663637

<https://www.phoenixcontact.com/in/products/1663637>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CK2,5-ED-4,00ST AU - Crimp contact

1674794

<https://www.phoenixcontact.com/in/products/1674794>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-2,50BU AG - Crimp contact

1663682

<https://www.phoenixcontact.com/in/products/1663682>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CK2,5-ED-2,50BU AU - Crimp contact

1674862

<https://www.phoenixcontact.com/in/products/1674862>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-2,50ST AG - Crimp contact

1663611

<https://www.phoenixcontact.com/in/products/1663611>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CK2,5-ED-2,50ST-S AG - Crimp contact

1663873

<https://www.phoenixcontact.com/in/products/1663873>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14, last make, first break contact

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-2,50ST AU - Crimp contact

1674817

<https://www.phoenixcontact.com/in/products/1674817>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CK2,5-ED-1,50BU AG - Crimp contact

1663679

<https://www.phoenixcontact.com/in/products/1663679>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-1,50BU AU - Crimp contact

1674820

<https://www.phoenixcontact.com/in/products/1674820>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK2,5-ED-1,50ST AG - Crimp contact

1663608

<https://www.phoenixcontact.com/in/products/1663608>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-1,50ST-S AG - Crimp contact

1663860

<https://www.phoenixcontact.com/in/products/1663860>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16, last make, first break contact

CK2,5-ED-1,50ST AU - Crimp contact

1674778

<https://www.phoenixcontact.com/in/products/1674778>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-1,00BU AG - Crimp contact

1663666

<https://www.phoenixcontact.com/in/products/1663666>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 1 mm², AWG 18

CK2,5-ED-1,00BU AU - Crimp contact

1674833

<https://www.phoenixcontact.com/in/products/1674833>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.75 mm² ... 1 mm², AWG 18

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-1,00ST AG - Crimp contact

1663598

<https://www.phoenixcontact.com/in/products/1663598>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 1 mm², AWG 18

CK2,5-ED-1,00ST-S AG - Crimp contact

1663857

<https://www.phoenixcontact.com/in/products/1663857>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18, last make, first break contact

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-0,75BU AG - Crimp contact

1663653

<https://www.phoenixcontact.com/in/products/1663653>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK2,5-ED-0,75ST AG - Crimp contact

1663585

<https://www.phoenixcontact.com/in/products/1663585>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-0,50BU AG - Crimp contact

1663640

<https://www.phoenixcontact.com/in/products/1663640>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK2,5-ED-0,50BU AU - Crimp contact

1674859

<https://www.phoenixcontact.com/in/products/1674859>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-0,50ST AG - Crimp contact

1663572

<https://www.phoenixcontact.com/in/products/1663572>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK2,5-ED-0,50ST AU - Crimp contact

1674804

<https://www.phoenixcontact.com/in/products/1674804>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-1,50BU AG - Crimp contact

1663433

<https://www.phoenixcontact.com/in/products/1663433>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,50BU AU - Crimp contact

1674930

<https://www.phoenixcontact.com/in/products/1674930>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-1,50ST AG - Crimp contact

1663378

<https://www.phoenixcontact.com/in/products/1663378>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,50ST AU - Crimp contact

1674875

<https://www.phoenixcontact.com/in/products/1674875>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-1,00BU AG - Crimp contact

1663420

<https://www.phoenixcontact.com/in/products/1663420>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-1,00BU AU - Crimp contact

1674943

<https://www.phoenixcontact.com/in/products/1674943>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-1,00ST AG - Crimp contact

1663365

<https://www.phoenixcontact.com/in/products/1663365>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-1,00ST AU - Crimp contact

1674888

<https://www.phoenixcontact.com/in/products/1674888>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-0,75BU AG - Crimp contact

1663417

<https://www.phoenixcontact.com/in/products/1663417>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,75BU AU - Crimp contact

1672440

<https://www.phoenixcontact.com/in/products/1672440>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-0,75ST AG - Crimp contact

1663352

<https://www.phoenixcontact.com/in/products/1663352>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,75ST AU - Crimp contact

1674914

<https://www.phoenixcontact.com/in/products/1674914>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-0,50BU AG - Crimp contact

1663404

<https://www.phoenixcontact.com/in/products/1663404>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,50BU AU - Crimp contact

1674480

<https://www.phoenixcontact.com/in/products/1674480>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-0,50ST AG - Crimp contact

1663349

<https://www.phoenixcontact.com/in/products/1663349>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,50ST AU - Crimp contact

1672453

<https://www.phoenixcontact.com/in/products/1672453>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-0,37BU AG - Crimp contact

1663394

<https://www.phoenixcontact.com/in/products/1663394>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

CK1,6-ED-0,37BU AU - Crimp contact

1674969

<https://www.phoenixcontact.com/in/products/1674969>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 24 ... 22

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK1,6-ED-0,37ST AG - Crimp contact

1663336

<https://www.phoenixcontact.com/in/products/1663336>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

CK1,6-ED-0,37ST AU - Crimp contact

1674901

<https://www.phoenixcontact.com/in/products/1674901>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 22 ... 24

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK2,5-ED-4,00BU AG - Crimp contact

1663705

<https://www.phoenixcontact.com/in/products/1663705>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CK2,5-ED-4,00BU AU - Crimp contact

1674846

<https://www.phoenixcontact.com/in/products/1674846>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK4,0-ED-4,00BU AG - Crimp contact

1663297

<https://www.phoenixcontact.com/in/products/1663297>



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CK4,0-ED-4,00ST AG - Crimp contact

1663255

<https://www.phoenixcontact.com/in/products/1663255>



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK4,0-ED-2,50BU AG - Crimp contact

1663284

<https://www.phoenixcontact.com/in/products/1663284>



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CK4,0-ED-2,50ST AG - Crimp contact

1663242

<https://www.phoenixcontact.com/in/products/1663242>



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>

CK4,0-ED-1,50BU AG - Crimp contact

1663271

<https://www.phoenixcontact.com/in/products/1663271>



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK4,0-ED-1,50ST AG - Crimp contact

1663239

<https://www.phoenixcontact.com/in/products/1663239>



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>



UNIFOX RT-CK 1.6 - Contact removal tool

1072069

<https://www.phoenixcontact.com/in/products/1072069>



Contact removal tool, for turned and rolled CK- 1.6-... contacts

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/in/products/1089092>



Assembly tool, for CK 1.6... crimp contacts for small conductor cross sections

CRIMPFOX-TC 4 - Crimping pliers

1212113

<https://www.phoenixcontact.com/in/products/1212113>



UNIFOX RT-CK 2.5 - Contact removal tool

1072067

<https://www.phoenixcontact.com/in/products/1072067>



Contact removal tool, for turned CK 2,5... contacts

UNIFOX RT-CK 4.0 - Contact removal tool

1072064

<https://www.phoenixcontact.com/in/products/1072064>



Contact removal tool, for rotated CK-4,0-... contacts

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in